



**1.8M HT. CEDAR OVERLAP WOOD SCREEN FENCE**

N.T.S.



**WOOD SCREEN STEPDOWN FENCE**

N.T.S.



### SPECIFICATIONS

TUBE COMPOSITION - POSTS, RAILS & PICKETS	
<b>ALLIED FLO-COAT®</b> Triple Coated Cold Form Tubing	
• Cold Formed and Quenched for High Yield and Tensile Strength	
• Interior Coating Including Weld Seam with 90% Organic Zinc	
• Exterior Coating Including Weld Seam with 99% Pure Zinc	
• Passivation of Tube with a Chromate Conversion Coating	
• Protective Sealer / Primer with Clear Organic Polymer	

MATERIAL DIMENSIONS	
<b>PICKETS</b>	5/8" × 5/8" (16mm × 16mm) 18 GA
<b>RAILS</b>	1-1/4" × 1-1/4" (32mm × 32mm) 16 GA
<b>POSTS</b>	2" × 2" (51mm × 51mm) 14 GA
<b>OPTIONAL POSTS(1)</b>	2" × 2" (51mm × 51mm) 11 GA
<b>OPTIONAL POSTS(2)</b>	2-1/2" × 2-1/2" (64mm × 64mm) 14 GA


<b>WELDS</b>	Stainless Steel Mig Weld
--------------	--------------------------

<b>FITTINGS</b>	14 Gauge Stamp Forged Finish as below
<b>FITTING FASTENERS</b>	JS1000 Plated Finish as below
<b>OPTIONAL FASTENER</b>	Tamper Proof Nuts

FINISH	
<b>GRADE</b>	Super Durable Polyester Powder Coat
<b>OPTIONAL PRIMER</b>	Zinc Rich Epoxy Powder Coat
<b>STANDARD COLOUR</b>	Gloss Black
<b>OTHER COLOURS</b>	Green, Brown, White, Antique Silver
<b>CUSTOM COLOURS</b>	Per Specifications

STANDARD HEIGHTS	36"	42"	48"	60"	72"
	914mm	1067mm	1219mm	1524mm	1892mm

<b>STANDARD GATES</b>	Passage, Double Entry, Canatilever
-----------------------	------------------------------------



**MEDALLION FENCE LTD**  
 10651 KEELE STREET  
 MAPLE, ONTARIO L6A 3Y9  
 (T) 905-832-2922 || 1-800-794-1564 || (F) 905-832-1564  
 info@medallionfence.com || www.medallionfence.com

MATERIAL SPECIFICATIONS:  
**ARMOUR-SHIELD™ BY MEDALLION FENCE**

STYLE:  
**STANTON LXEO**

SERIES:  
**4000**  
 DATE: MM/DD/YYYY  
**06/01/2012**

## 1.2M HT. BLACK DECORATIVE STEEL FENCE

N.T.S.